



High Performance Enterprise Firewall for Large Branch Offices





FortiGate 600D

With network bandwidth requirements doubling every 18 months and increases in sophisticated cyber threats, enterprise organizations with large branch offices know they need high-speed network security that also delivers highly effective next generation security.

5 Times Next Generation Firewall Performance

The FortiGate 600D appliance delivers superior performance through a combination of purpose-built FortiASIC™ processors, high port density with 10 GE ports and consolidated security features from the FortiOS™ operating system. It delivers 5 times better next generation firewall performance compared to alternate products and provides the best price/performance in the industry.

Deeper Visibility and Top-rated Security

This breakthrough threat prevention performance allows organizations to run NSS Labs Recommended intrusion prevention and application control and VB100 certified antimalware capabilities for deeper inspection. Rich console views and reports together with a flexible policy engine provide the visibility and control to empower employees yet secure your enterprise.

Finally, these features of the FortiGate FortiOS Network Security Platform are routinely validated by independent real-world tests and are consistently getting superior ratings in security effectiveness.

Highlights

Firewall Performance	IPS Performance	Interfaces
36 Gbps	7 Gbps	Multiple 10 GE SFP+, GE SFP and GE RJ45

Features & Benefits

- 5 times faster hardware accelerated next generation firewall offers best-in-class price/performance ratio
- Integrated high port density delivers maximum flexibility and scalability
- NSS Labs Recommended NGFW and NGIPS with consolidated security delivers top-rated protection
- Application control plus identity and device-based policy enforcement provides more granular protection
- Intuitive management interface enables broad and deep visibility that scales from a single FortiGate to thousands
















DATA SHEET: FortiGate® 600D

HARDWARE

FortiGate 600D







Interfaces

- 1. Console Port
- 2. 2x USB Ports
- 3. 2x GE RJ45 Management Ports

- 4. 8x GE SFP Slots
- 5. 8x GE RJ45 Ports
- 6. 2x 10 GE SFP+ Slots



Powered by FortiASICs

- Custom FortiASIC[™] processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- FortiASIC processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough FortiASIC NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 3 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

10 GE Connectivity

High speed connectivity is essential for network security segmentation. The FortiGate 600D provides 10 GE slots that simplify network designs without relying on additional devices to bridge desired connectivity.

SOFTWARE



FortiOS Managment UI — FortiView and Application Control Panel

FortiOS

FortiOS helps you protect your organization against advanced threats, configure and deploy your network security faster and see deep into what's happening inside your network. It enables organization to set up policies specific to types of devices, users and applications with industry-leading security capabilities. FortiOS leverages custom FortiASICs and the Optimum Path Processing architecture of FortiGate to deliver 5 times faster throughput performance. In essence, FortiOS delivers:

- Comprehensive Security Control thousands of applications and stop more threats with NSS Labs Recommended IPS. sandboxing, VB100 certified antimalware and more.
- Superior Control and Visibility Stay in control with rich visibility over network traffic, granular policy control, and intuitive, scalable security and network management.
- **Robust Networking Capabilities** Optimize your network with extensive switching and routing, high availability, WAN optimization, embedded WiFi controller, and a range of virtual options.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- **Real-time Updates** 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- **Security Research** FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.



For more information, please refer to http://forti.net/guard

FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- **Premium Services** For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- **Professional Services** For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



For more information, please refer to http://forti.net/care

DATA SHEET: FortiGate® 600D

SPECIFICATIONS

	FORTIGATE 600D
Interfaces and Modules	
Hardware Accelerated 10 GE SFP+ Slots	2
Hardware Accelerated GE SFP Slots	8
Hardware Accelerated GE RJ45 Ports	8
GE RJ45 Management / HA Ports	2
USB Ports (Client / Server)	1/2
Console Port	1
Onboard Storage	120 GB
Included Transceivers	2 SFP SX
System Performance and Capacity	
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	36 / 36 / 24 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	36 / 36 / 24 Gbps
Firewall Latency (64 byte, UDP)	3 µs
Firewall Throughput (Packet per Second)	36 Mpps
Concurrent Sessions (TCP)	5.5 Million
New Sessions/Second (TCP)	270,000
Firewall Policies	10,000
IPsec VPN Throughput (512 byte)	20 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	2,000
Client-to-Gateway IPsec VPN Tunnels	10,000
SSL-VPN Throughput	2.2 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	5,000
IPS Throughput	7 Gbps
Antivirus Throughput	3 Gbps
Virtual Domains (Default / Maximum)	10 / 10
Maximum Number of FortiAPs (Total / Tunnel)	1024 / 512
Maximum Number of FortiTokens	1,000
Maximum Number of Registered Endpoints	2,000
High Availability Configurations	Active-Active, Active-Passive, Clustering

	EARTIA ITE AAAR		
	FORTIGATE 600D		
Dimensions and Power			
Height x Width x Length (inches)	1.73 x 17 x 12.68		
Height x Width x Length (mm)	44 x 432 x 322		
Weight	11.46 lbs (5.2 kg)		
Form Factor	1 RU		
AC Power Supply	100–240V AC, 60–50 Hz		
Power Consumption (Average / Maximum)	191 W / 126 W		
Current (Maximum)	110V/4A, 220V/2A		
Heat Dissipation	650 BTU/h		
Redundant Power Supplies	Supports FRPS-100		
Operating Environment and Certifications			
Operating Temperature	32-104°F (0-40°C)		
Storage Temperature	-31–158°F (-35–70°C)		
Humidity	20–90% non-condensing		
Operating Altitude	Up to 7,400 ft (2,250 m)		
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB		
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN		

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. LAG support is limited to certain port configurations, please refer to technical documentation. Antivirus Throughput is measured in proxy mode.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

ORDER INFORMATION

Product	SKU	Description
FortiGate 600D	FG-600D	2x 10 GE SFP+ slots, 10x GE RJ45 ports, 8x GE SFP slots, FortiASIC NP6 and CP8 hardware accelerated, 120 GB onboard SDD storage.
Optional Accessories/Spares	SKU	Description
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots
AC Power Supply	SP-FXX1000D	AC power supply for FG-900D, FG-1000D and FXX-1000D
Redundant AC Power Supply	FRPS-100	External redundant AC power supply for up to 4 units: FG-300C, FG-310B, FS-348B and FS-448B. Up to 2 units: FG-200B, FG-200D, FG-240D, FG-300D, FG-400D, FG-500D, FG-600D, FDD-200B, FDD-400B and FDD-800B. Not supported for: FG-200D-P0E/240D-P0E.



FST-PROD-DS-GT6H

GLOBAL HEADQUARTERS Fortinet Inc. 899 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510

APAC SALES OFFICE 300 Reach Road 20-01 The Concourse Singapore 199555 Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright© 2015 Fortinet, Inc. All rights reserved. Forticate®, FortiCare® and FortiCuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary and may be significantly liss effective than the metrics stated herein. Network variables, different network environments and other conditions may negatively affect performance results and other metrics stated herein. Network variables, different network environments and other conditions may negatively affect performance results and other results may vary and may be significantly liss effective than the metrics stated herein. Network variables, different network environments and other conditions may negatively affect performance results and other results may vary and may be significantly liss effective than the metrics stated herein. Network variables, different network environments and other conditions and variable, whether express or implied, except to the extent Fortinet enters a binding written contract and under the performance metrics expressly certain that the identified protect and protect expressly certain that the identified protect and protect expressly certain that the identified protect and protect expressly enternal that the identified protect expr