

DATA SHEET

FortiGate/FortiWiFi® 50E Series

FortiGate 50E, FortiWiFi 50E and FortiGate/FortiWiFi 51E

Secure SD-WAN
Next Generation Firewall



The FortiGate/FortiWiFi 50E series provides an application-centric, scalable, and secure SD-WAN solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protects against cyber threats with system-on-a-chip acceleration and industry-leading secure SD-WAN in a simple, affordable, and easy to deploy solution. Fortinet's Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services
- Proactively blocks unknown sophisticated attacks in realtime with the Fortinet Security Fabric integrated Al-powered FortiSandbox

Performance

- Engineered for Innovation using Fortinet's purpose-built security processors (SPU) to deliver the industry's best threat protection performance and ultra-low latency
- Provides industry-leading performance and protection for SSL encrypted traffic including the first firewall vendor to provide TLS 1.3 deep inspection

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

Networking

- Dynamic Path Selection over any WAN transport to provide better application experience based on self-healing SD-WAN capabilities
- Advanced routing, Scalable VPN, multi-cast and IPV4/IPV6 forwarding powered by purpose-built network processors

Management

- SD-WAN Orchestration provides intuitive and simplified workflow for centralized management and provisioning of business policies in a few easy clicks
- Expedited deployment with Zero touch provisioning well-suited for large and distributed infrastructure
- Automated VPN tunnels for flexible hub-to-spoke and full-mesh deployment at scale to provide bandwidth aggregation and encrypted WAN paths
- Predefined compliance checklists analyze the deployment and highlight best practices to improve the overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
2.5 Gbps	350 Mbps	220 Mbps	160 Mbps	Multiple GE RJ45 WiFi variants Variants with internal storage



Refer to the specifications table for details

Deployment




Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single highperformance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, applications across the entire attack surface and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industryvalidated IPS that offers low latency and optimized network performance
- Automatically block threats on decrypted traffic using the Industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with Al-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




Secure SD-WAN

- Consistent business application performance with accurate detection, dynamic WAN path steering on any best-performing WAN transport
- Accelerated Multi-cloud access for faster SaaS adoption with cloud-on-ramp
- Self-healing networks with WAN edge high availability, subsecond traffic switchover-based and real-time bandwidth compute-based traffic steering
- Automated Overlay tunnels provides encryption and abstracts physical hybrid WAN making it simple to manage.
- Simplified and intuitive workflow with SD-WAN Orchestrator for management and zero touch deployment
- Enhanced analytics both real-time and historical provides visibility into network performance and identify anomalies
- Strong security posture with next generation firewall and realtime threat protection




FortiWiFi 50E deployment in Small Office (NGFW)




FortiGate 50E deployment in Enterprise Branch (Secure SD-WAN)

Hardware


FortiGate 50E/51E





FortiWiFi 50E/51E





Interfaces

- (1) 1x USB Port
- (2) 1x Console RJ45
- (3) 2x GE RJ45 WAN Ports
- (4) 5x GE RJ45 Switch Ports

Interfaces

- (1) 1x USB Port
- (2) 1x Console RJ45
- (3) 2x GE RJ45 WAN Ports
- (4) 5x GE RJ45 Switch Ports

Install in Minutes with FortiExplorer

The FortiExplorer wizard enables easy setup and configuration coupled with easy-to-follow instructions. FortiExplorer runs on popular iOS devices. Using FortiExplorer is as simple as starting the application and connecting to the appropriate USB port on the FortiGate. By using FortiExplorer, you can be up and running and protected in minutes.

Wireless and 3G/4G WAN Extensions

The FortiGate supports external 3G/4G modems that allow additional or redundant WAN connectivity for maximum reliability. The FortiGate can also operate as a wireless access point controller to further extend wireless capabilities.

Compact and Reliable Form Factor

Designed for small environments, you can simply place the FortiGate/FortiWiFi 50E series on a desktop. It is small, lightweight yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Superior Wireless Coverage

A built-in dual-band, dual-stream access point with internal antennas is integrated on the FortiWiFi 50E and provides speedy 802.11ac wireless access. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning, providing maximum protection for regulated environments.



Fortinet Security Fabric

Security Fabric

The Security Fabric is the cybersecurity platform that enables digital innovations. It delivers broad visibility of the entire attack surface to better manage risk. Its unified and integrated solution reduces the complexity of supporting multiple-point products, while automated workflows increase operational speeds and reduce response times across the Fortinet deployment ecosystem. The Fortinet Security Fabric overs the following key areas under a single management center:

- Security-Driven Networking that secures, accelerates, and unifies the network and user experience
- Zero Trust Network Access that identifies and secures users and devices in real-time, on and off of the network
- Dynamic Cloud Security that protects and controls cloud infrastructures and applications
- Al-Driven Security Operations that automatically prevents, detects, isolates, and responds to cyber threats

Network Access Secure WLAN/LAN Endpoint Security Operations

FortiOS

FortiGates are the foundation of the Fortinet Security Fabric—the core is FortiOS. All security and networking capabilities across the entire FortiGate platform are controlled with one intuitive operating system. FortiOS reduces complexity, costs, and response times by truly consolidating next-generation security products and services into one platform.

- A truly consolidated platform with a single OS and pane-of-glass for across the entire digital attack surface.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Leverage the latest technologies such as deception-based security.

- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Automatically prevent, detect, and mitigate advanced attacks within minutes with an integrated Al-driven security and advanced threat protection.
- Improve and unify the user experience with innovative SD-WAN capabilities with the ability to detect, contain, and isolate threats with automated segmentation.
- Utilize SPU hardware acceleration to boost network security performance.

Services



FortiGuard[™] Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



Specifications

	FG-50E	FWF-50E	FG-51E	FWF-51E	
Hardware Specifications					
GE RJ45 Switch Ports		5			
E RJ45 WAN Ports	2				
ISB Ports					
Console (RJ45)		1			
Vireless Interface	_	802.11 a/b/g/n		802.11 a/b/g/n	
nternal Storage	<u> </u>		1x 32 GB SSD	1x 32 GB SSD	
ystem Performance — Enterprise Traffic Mix					
PS Throughput ²		350 N	Mbps		
GFW Throughput ^{2, 4}		220 N	Mbps		
hreat Protection Throughput ^{2,5}		160 N	Mbps		
ystem Performance					
irewall Throughput		2.5 0	Bibps		
irewall Latency (64 byte UDP packets)		180	μs		
irewall Throughput (Packets Per Second)		375 H		,	
oncurrent Sessions (TCP)		1.8 N	fillion		
lew Sessions/Second (TCP)		21,0	000		
irewall Policies	5,000				
Psec VPN Throughput (512 byte) 1		90 N	lbps		
ateway-to-Gateway IPsec VPN Tunnels	200				
ient-to-Gateway IPsec VPN Tunnels		25			
SL-VPN Throughput	100 Mbps				
oncurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)		20	0		
SL Inspection Throughput (IPS, avg. HTTPS) ³		150 N	Лbps		
SL Inspection CPS (IPS, avg. HTTPS) ³		14	0		
SL Inspection Concurrent Session (IPS, avg. HTTPS) 3		75,0	000		
pplication Control Throughput (HTTP 64K) ²		450 N	Mbps		
APWAP Throughput (HTTP 64K)		1.2 0	Abps		
rtual Domains (Default / Maximum)		5/	5		
aximum Number of FortiSwitches Supported					
laximum Number of FortiAPs (Total / Tunnel Mode)	10/5				
laximum Number of FortiTokens	500				
igh Availability Configurations	Active/Active, Active/Passive, Clustering				
imensions					
leight x Width x Length (inches)		1.44 x 8.	52 x 5.5		
leight x Width x Length (mm)		36.5 x 21	6 x 140		
/eight	2.015 lbs (0.914 kg)	2.041 lbs (0.926 kg)	2.04 lbs (0.925 kg)	2.04 lbs (0.925 kg)	
orm Factor	(0.914 kg) (0.920 kg) (0.923 kg) Desktop			(
adio Specifications					
имо	_	2x2	_	2x2	
laximum Wi-Fi Speeds	<u> </u>	300 Mbps	—	300 Mbps	
/laximum Tx Power	_	21 dBm	_	21 dBm	
Antenna Gain	_	2 dBi @ 5 GHz, 2.4dBi @ 2.4 GHz	_	2 dBi @ 5 GHz, 2.4dBi @ 2.4 GHz	

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
- 5. Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.



Specifications

	FG-50E	FWF-50E	FG-51E	FWF-51E	
Operating Environment and Certifications					
Input Rating	12Vdc, 2A				
Power Required	Powered by External DC Power Adapter, 100–240V AC, 50–60 Hz				
Maximum Current	100 V / 0.6 A, 240 V / 0.4 A				
Power Consumption (Average / Maximum)	15 / 18 W	18 / 22 W	16 / 20 W	19 / 23 W	
Heat Dissipation	62 BTU/h	75 BTU/h	67 BTU/h	79 BTU/h	
Operating Temperature	32-104°F (0-40°C)				
Storage Temperature	-31−158°F (-35−70°C)				
łumidity	10–90% non-condensing				
Voise Level	Fanless O dBA				
Operating Altitude	Up to 7,400 ft (2,250 m)				
Regulatory Compliance	FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB				
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN				

Order Information

Product	SKU	Description
FortiGate 50E	FG-50E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports)
FortiWiFi 50E	FWF-50E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), Wireless (802.11a/b/g/n)
FortiGate 51E	FG-51E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), 32 GB SSD onboard storage
FortiWiFi 51E	FWF-51E	7x GE RJ45 ports (including 2x WAN ports, 5x Switch ports), Wireless (802.11a/b/g/n), 32 GB SSD onboard storage
Optional Accessory		
Rack Mount Tray	SP-RACKTRAY-02	Rack mount tray for FG-30D, FG-40C, FG-50/51E, FG-60C, FG-60D/-POE, FG-70D, FG-80D, FG-90D/-POE, FAD-100E, FRC-100D, FWB-100D, FWL-60D, FVE-100E.

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	UTM	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiCASB SaaS-only Service	•	•		
FortiConverter Service	•			
SD-WAN Cloud Assisted Monitoring ²	•			
SD-WAN Overlay Controller VPN Service ²	•			
FortiAnalyzer Cloud ²	•			
FortiManager Cloud ²	•			

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2



www.fortinet.com

Copyright © 2020 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiGate®, FortiGate®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinets General Councils, with a purches, what has presented trademarks of Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding of product will perform according to certain expressly-identified performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet site internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT5051E FGFWF-50E-DAT-R35-202010