

# Product data sheet

Specifications



## APC Essential SurgeArrest 6 Outlets with Phone Protection 120V Metal

P6TM

! Discontinued on: 14 June 2022

! Discontinued



**Corporate Armor**

sales@corporatearmor.com  
877.449.0458

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage 120 V  
Input Connection Type NEMA 5-15P  
Cable length 4 ft (1.22 m)  
Number of cables 1  
Provided equipment Telephone Cable

### Physical

Color Gray  
Height 12.24 in (31.1 cm)  
Width 2.48 in (6.3 cm)  
Depth 1.50 in (3.8 cm)  
Net Weight 1.54 lb(US) (0.7 kg)  
Mounting preference No preference  
Mounting Mode Not rack-mountable

### Input

Input power 1875 W  
Input Frequency 50/60 Hz +/- 3 Hz auto-sensing  
Maximum Input Current per Phase 15 A  
Switching current capacity 15 A

### Output

Number of power socket outlets 6  
Outlet standard NEMA 5-15R

## Conformance

UL 1449 TVSS Rating	330
Equipment protection policy	Lifetime : \$25000

## Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 %
Operating altitude	0...50000 ft
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...50000 ft (0.00...15240.00 m)

## Surge Protection and Filtering

Surge energy rating	540 J
Data Line Protection	RJ11 Modem/Fax protection

## Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS
GTIN	731304248262
Number of Units in Package 1	1
Package 1 Weight	1 lb(US) (0.45 kg)
Returnability	No
Country of origin	TW

## Packing Units

Package 1 Height	13.19 in (33.5 cm)
Package 1 Width	3.94 in (10 cm)
Package 1 Length	45.98 in (116.8 cm)
SCC14	10731304248269
Number of Units in Package 2	12
Package 2 Weight	24.2 lb(US) (10.98 kg)
Package 2 Height	12.75 in (323.85 mm)
Package 2 Width	9 in (228.60 mm)
Package 2 Length	15.5 in (393.70 mm)
Number of Units in Package 3	288

## Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>

---

**Environmental Disclosure**      [Product Environmental Profile](#)

---

**Circularity Profile**      [End of Life Information](#)

---

## Contractual warranty

---

**Warranty**      Limited Lifetime

### Recommended replacement(s)

P6TM is replaced by the following product range:



#### **SurgeArrest Home/Office**

Professional-grade Electrical Surge Protection for Computers and Electronics

Products: 15