

Product data sheet

Specifications



APC Essential SurgeArrest 6 Outlets with Phone Protection 10FT Cord 120V Metal

P6TM10

⚠ Discontinued on: 13 June 2022

⚠ Discontinued - Service only



Corporate Armor

sales@corporatearmor.com
877.449.0458

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	10 ft (3.05 m)
Number of cables	1
Provided equipment	Telephone Cable

Physical

Color	Gray
Height	12.24 in (31.1 cm)
Width	2.48 in (6.3 cm)
Depth	1.50 in (3.8 cm)
Net Weight	1.54 lb(US) (0.7 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Input power	1875 W
Input Frequency	50/60 Hz +/- 3 Hz auto-sensing
Maximum Input Current per Phase	15 A
Switching current capacity	15 A

Output

Number of power socket outlets	6
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS Rating	330
Equipment protection policy	Lifetime : \$25000

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 %
Operating altitude	0...50000 ft
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...50000 ft (0.00...15240.00 m)

Surge Protection and Filtering

Surge energy rating	540 J
Data Line Protection	RJ11 Modem/Fax protection

Ordering and shipping details

GTIN	731304253211
Package 1 Weight	1.76 lb(US) (0.8 kg)

Packing Units

Package 1 Height	13.19 in (33.5 cm)
Package 1 Width	3.94 in (10 cm)
Package 1 Length	45.98 in (116.8 cm)
SCC14	10731304253218
Number of Units in Package 2	12
Package 2 Weight	24.2 lb(US) (10.98 kg)
Package 2 Height	12.75 in (323.85 mm)
Package 2 Width	9 in (228.60 mm)
Package 2 Length	15.5 in (393.70 mm)
Number of Units in Package 3	288

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile


Contractual warranty

Warranty

Limited Lifetime

Recommended replacement(s)

P6TM10 is replaced by the following product range:



SurgeArrest Home/Office
Professional-grade Electrical Surge Protection for Computers and Electronics
Products: 15