



# APC Essential SurgeArrest, 7 outlet, phone line protection, 10 ft power cord

P7T10



sales@corporatearmor.com 877.449.0458

O۷	er	VI	e	W
----	----	----	---	---

Lead time Usually in Stock

#### Main

wain	
Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	10 ft (3.05 m)
Number of cables	1
Provided equipment	2 x 1.8 Meter Tel cable User Manual

### **Physical**

Color	Beige
Height	14.02 in (35.6 cm)
Width	2.99 in (7.6 cm)
Depth	2.01 in (5.1 cm)
Net Weight	1.23 lb(US) (0.56 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

### Input

Maximum Line Current per phase	15 A
Input Frequency	50/60 Hz +/- 5 Hz manual switch

### **Output**

Number of power socket outlets	7
Outlet standard	NEMA 5-15R

#### **Conformance**

UL 1449 TVSS Rating	330
Product Certifications	CSA

Life Is On APC

Standards	UL 1449	
Equipment protection policy	Lifetime : \$25000	
Environmental		
Ambient Air Temperature for	32104 °F (040 °C)	

Ambient Air Temperature for Operation	32104 °F (040 °C)
Relative Humidity	095 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage Relative Humidity	095 %

Storage altitude 0...50000 ft (0.00...15240.00 m)

**Surge Protection and Filtering** 

NM Surge Response Time (ns)	0 ns common mode
Common mode rejection	55 dB
Peak current	30 kA common mode 10 kA normal mode
Surge energy rating	840 J
Data line protection	RJ11 Modem/Fax/DSL protection (two wire single line)

# Ordering and shipping details

GTIN	731304016588
Package 1 Weight	1.81 lb(US) (0.82 kg)

## **Packing Units**

3	
Package 1 Height	14.02 in (35.6 cm)
Package 1 Width	5.24 in (13.3 cm)
Package 1 Length	1.89 in (4.8 cm)
SCC14	10731304016585
Number of Units in Package 2	12
Package 2 Weight	20 lb(US) (9.07 kg)
Package 2 Height	8.13 in (206.50 mm)
Package 2 Width	15.5 in (393.70 mm)
Package 2 Length	16.37 in (415.80 mm)
Number of Units in Package 3	360

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes

RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
Contractual warranty	