

Product data sheet

Specifications



APC Personal SurgeArrest, 7 outlet, phone line protection

PER7T



Corporate Armor

sales@corporatearmor.com
877.449.0458

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	6 ft (1.83 m)
Number of cables	1
Provided equipment	2 x 1.8 Meter Tel cable User Manual

Physical

Color	Beige
Height	2.01 in (5.1 cm)
Width	4.25 in (10.8 cm)
Depth	10.51 in (26.7 cm)
Net Weight	1.81 lb(US) (0.82 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Maximum Line Current per phase	15 A
Input Frequency	50/60 Hz +/- 5 Hz auto-sensing

Output

Number of power socket outlets	7
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS Rating	330
Product Certifications	CSA
Standards	UL 497A

UL 1283
UL 1363
UL 1449

Equipment protection policy Lifetime : \$50000

Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Relative Humidity 0...95 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)

Storage Relative Humidity 0...95 %

Storage altitude 0...50000 ft (0.00...15240.00 m)

Surge Protection and Filtering

EP Joule Rating 1060 J

Data Lines Protected(multi-line only) 1

NM Surge Response Time (ns) 0 ns common mode

Common mode rejection 60 dB

Peak current 13 kA common mode
6.5 kA normal mode

Surge energy rating 840 J

Data line protection RJ11 Modem/Fax/DSL protection (two wire single line)

Ordering and shipping details

GTIN 731304000129

Package 1 Weight 2.31 lb(US) (1.05 kg)

Packing Units

Package 1 Height 2.09 in (5.3 cm)

Package 1 Width 7.24 in (18.4 cm)

Package 1 Length 12.76 in (32.4 cm)

SCC14 10731304000126

Number of Units in Package 2 12

Package 2 Weight 27.8 lb(US) (12.61 kg)

Number of Units in Package 3 384

Offer Sustainability

Sustainable offer status Green Premium product

California proposition 65 WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

REACH Regulation [REACH Declaration](#)

REACH free of SVHC Yes

EU RoHS Directive Compliant
[EU RoHS Declaration](#)

Mercury free Yes

RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Contractual warranty

Warranty	Limited Lifetime
----------	------------------