

Product data sheet

Specifications



APC Notebook Surge Protector for AC, phone and network lines, 3 pin connection, 100-240V

PNOTEPROC6

Product availability : Stock - Normally stocked in distribution facility



Corporate Armor

sales@corporatearmor.com
877.449.0458

Overview

Lead time Usually in Stock

Main

Main Input Voltage 120 V

Input Connection Type IEC 60320 C6

Number of cables 1

Provided equipment 2 x 1.8 Meter Tel cable
30 cm Network patch cable
Cord management straps
User Manual

Physical

Color Silver

Height 1.10 in (2.8 cm)

Width 1.26 in (3.2 cm)

Depth 4.33 in (11 cm)

Net Weight 0.22 lb(US) (0.1 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

Input

Input power 300 W

Maximum Line Current per phase 4 A

Input Frequency 50/60 Hz

Output

Number of power socket outlets 1

Outlet standard IEC 60320 C6

Conformance

UL 1449 TVSS Rating 700

Product Certifications CSA

NOM
UL Listed

Standards FCC part 68

Equipment protection policy Lifetime : \$75000

Environmental

Ambient Air Temperature for Operation 32...104 °F (0...40 °C)

Relative Humidity 0...95 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage 5...113 °F (-15...45 °C)

Storage Relative Humidity 0...95 %

Storage altitude 0...30000 ft (0.00...9144.00 m)

Surge Protection and Filtering

NM Surge Response Time (ns) 1 ns common mode

Common mode rejection 0 dB

Peak current 12 kA common mode
6.5 kA normal mode

Surge energy rating 600 J

Data line protection RJ11 Modem/Fax protection (two wire single line)
RJ45 10/100 Base-T Ethernet protection

Ordering and shipping details

Category 11309-APC RESALE PRODUCTS

Discount Schedule APC1

GTIN 731304220701

Number of Units in Package 1 1

Package 1 Weight 1 lb(US) (0.45 kg)

Returnability No

Packing Units

Package 1 Height 2.72 in (6.9 cm)

Package 1 Width 6.22 in (15.8 cm)

Package 1 Length 7.76 in (19.7 cm)

SCC14 10731304220708

Number of Units in Package 2 12

Package 2 Weight 6 lb(US) (2.72 kg)

Package 2 Height 8.3 in (210.82 mm)

Package 2 Width 11.5 in (292.10 mm)

Package 2 Length 16.5 in (419.10 mm)

Number of Units in Package 3 480

Offer Sustainability

Sustainable offer status Green Premium product

REACH Regulation [REACH Declaration](#)

REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Contractual warranty

Warranty	Limited Lifetime
-----------------	------------------