



APC Home Office SurgeArrest 8 Outlet with Phone (Splitter) Protection, 120V

P8T3



sales@corporatearmor.com 877.449.0458

	rv	

Lead time Usually in Stock

Main

Main		
Main Input Voltage	120 V	
Input Connection Type	NEMA 5-15P	
Cable length	6 ft (1.83 m)	
Number of cables	15	
Provided equipment	Cord management straps Telephone Cable User Manual	

Physical

Color	Black
Height	1.26 in (3.2 cm)
Width	3.50 in (8.9 cm)
Depth	12.99 in (33 cm)
Net Weight	2.03 lb(US) (0.92 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Input Frequency	50/60 Hz
Switching current capacity	15 A

Output

Number of power socket outlets	8
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS Rating	L-N: 400 L-G: 500 N-G: 500
Product Certifications	CSA

	NOM
Standards	UL 1363 UL 1449
Equipment protection policy	Lifetime : \$150000

Environmental

Ambient Air Temperature for Operation	32113 °F (045 °C)
Relative Humidity	095 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.0015240.00 m)

Surge Protection and Filtering

Data Lines Protected(multi-line only)	1-4
NM Surge Response Time (ns)	0 ns common mode
Common mode rejection	70 dB
Surge energy rating	2770 J
Data line protection	RJ11 2-Way Modem/Fax/DSL splitter with protection (four wire dual lines)

Ordering and shipping details

GTIN	731304249054
------	--------------

Packing Units

Package 2 Width	8 in (203.20 mm)
Package 2 Height	12 in (304.80 mm)
Package 2 Weight	16.5 lb(US) (7.48 kg)
Unit Type of Package 1	PCE
Package 1 Length	5.59 in (14.2 cm)
Number of Units in Package 1	1
Package 1 Width	14.17 in (36 cm)
Package 1 Height	2.36 in (6 cm)
Package 1 Weight	2.43 lb(US) (1.1 kg)
Number of Units in Package 2	6
Package 2 Length	15 in (381.00 mm)
SCC14	10731304249051

Offer Sustainability

Sustainable offer status	Green Premium product WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov REACh Declaration	
California proposition 65		
REACh Regulation		
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant	

EU RoHS Declaration

Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Contractual warranty

Warranty Limited Lifetime