

Product data sheet

Specifications



APC SurgeArrest Essential Multi-Use 6 Outlet with 2 Type-A 1 Type-C Port 4.8A USB Charger 120V

PE6U21



Corporate Armor

sales@corporatearmor.com
877.449.0458

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	6 ft (1.83 m)
Number of cables	1
Provided equipment	User Manual

Physical

Height	5.31 in (13.5 cm)
Width	2.72 in (6.9 cm)
Depth	5.20 in (13.2 cm)
Net Weight	1.52 lb(US) (0.69 kg)
Mounting preference	No preference
Mounting Mode	Rack-mounted

Input

Maximum Line Current per phase	15 A
Input Frequency	50/60 Hz
Maximum Input Current per Phase	15 A
Switching current capacity	15 A

Output

Number of power socket outlets	6
Outlet standard	NEMA 5-15R

Conformance

Product Certifications	cULus
Standards	FCC Part 15 class B

UL 1310
UL 1363
UL 1449

Equipment protection policy Lifetime : \$50000

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 % non-condensing
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
Storage Relative Humidity	Non-condensing 0...95 %
Storage altitude	0...50000 ft (0.00...15240.00 m)

Surge Protection and Filtering

NM Surge Response Time (ns)	1 ns common mode
Common mode rejection	40 dB
Peak current	48 kA common mode 24 kA normal mode
Surge energy rating	1080 J

Ordering and shipping details

GTIN	731304343714
Package 1 Weight	1.70 lb(US) (0.77 kg)

Packing Units

Package 1 Height	5.43 in (13.8 cm)
Package 1 Width	4.72 in (12 cm)
Package 1 Length	6.73 in (17.1 cm)
SCC14	10731304343711
Number of Units in Package 2	6
Package 2 Weight	12.08 lb(US) (5.48 kg)
Package 2 Height	7.48 in (189.99 mm)
Package 2 Width	12.52 in (318.01 mm)
Package 2 Length	16.14 in (409.96 mm)
Number of Units in Package 3	192

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Contractual warranty

Warranty

Limited Lifetime